

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/034,140 12/28/2001		12/28/2001	Athanasios A. Kasapi	15685P110	1620
45222	7590	04/28/2006		EXAMINER	
ARRAYCO			DYKE, KERRI M		
12400 WILS SEVENTH		.VD	ART UNIT	PAPER NUMBER	
		90025-1030	2616		

DATE MAILED: 04/28/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary		Application No.	Applicant(s)			
		10/034,140	KASAPI ET AL.			
		Examiner	Art Unit			
		Kerri M. Dyke	2616			
Period for R	he MAILING DATE of this communication appo Reply	ears on the cover sheet with the c	orrespondence address			
WHICHE - Extension after SIX - If NO peri - Failure to Any reply	TENED STATUTORY PERIOD FOR REPLY EVER IS LONGER, FROM THE MAILING DA ns of time may be available under the provisions of 37 CFR 1.13 (6) MONTHS from the mailing date of this communication. iod for reply is specified above, the maximum statutory period with reply within the set or extended period for reply will, by statute, received by the Office later than three months after the mailing atent term adjustment. See 37 CFR 1.704(b).	TE OF THIS COMMUNICATION 6(a). In no event, however, may a reply be tin ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
1)⊠ Re	esponsive to communication(s) filed on <u>28 De</u>	ecember 2001.				
•	This action is FINAL . 2b)⊠ This action is non-final.					
,	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
CIC	osed in accordance with the practice under Ex	х рапе Quayle, 1935 С.D. 11, 4:	53 U.G. 213.			
Disposition	of Claims					
4a) 5)☐ Cla 6)⊠ Cla 7)☐ Cla	aim(s) 1-24 is/are pending in the application. Of the above claim(s) is/are withdraw aim(s) is/are allowed. aim(s) 1-24 is/are rejected. aim(s) is/are objected to. aim(s) are subject to restriction and/or					
Application	Papers	,				
9)∭ The 10)⊠ The Ap Re	e specification is objected to by the Examiner e drawing(s) filed on <u>28 December 2001</u> is/ar oplicant may not request that any objection to the deplacement drawing sheet(s) including the corrective oath or declaration is objected to by the Examiner.	re: a) \square accepted or b) \boxtimes object drawing(s) be held in abeyance. Se ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority und	ler 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
2) Notice of 3) Informati	f References Cited (PTO-892) f Draftsperson's Patent Drawing Review (PTO-948) ion Disclosure Statement(s) (PTO-1449 or PTO/SB/08) o(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal I 6) Other:				

Page 2

Application/Control Number: 10/034,140

Art Unit: 2616

DETAILED ACTION

Drawings

1. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: fig. 1 element 111 and fig. 8 element 810. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 101

2. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 18-24 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. Page 33 of the specification discloses signals/carrier waves as an embodiment of the storage medium. Signals do not fall into any of the four statutory categories of invention. They do not set forth steps or a procedure and therefore cannot be a process. A signal is not a machine because it has no physical structure and cannot itself perform a useful,

Art Unit: 2616

concrete, and tangible result. A signal is made up of energy, not matter, and therefore is not a composition of matter. Lastly, a manufacture requires physical substance, which a signal does not have. Consult pages 55-57 of the guidelines available at:

http://www.uspto.gov/web/offices/pac/dapp/opla/preognotice/guidelines101_20051026.pdf for more information.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1, 2, and 7-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shek et al. (*Dynamic Spatial*...) in view of Huang et al. (*A Spatial Clustering*...).
- 5. In regards to claim 1, Shek discloses in a wireless communication system, a method comprising: identifying one or more target(s) for which a communication signal is intended; identifying one or more other target(s) which may benefit from receipt of the communication signal. In the first paragraph of page 133, Shek discloses "dynamically cluster similar user profiles into aggregate group profiles that are served by independent multicast channels..." Shek then discloses in the first paragraph of page 143, "By taking into account of expected changes... achieves predictive information push that anticipates future user needs and minimizes latency of data request by making data available before they are explicitly requested." In other words, Shek identifies a target group for the communication signal and based upon the movement of

Art Unit: 2616

neighboring target groups, selects users who may find the information useful and sends the information to both the intended recipients and the additional targets.

Shek does not disclose developing a multi-lobe beampattern to transmit the communication signal to the intended target(s) and the identified one or more other target(s).

Huang discloses a method for forming a multi-lobe beampattern in order to communicate with groups of users while avoiding potential interferors on page 193 and figure 6.

It would have been obvious to one of ordinary skill in the art to modify Shek's wireless system to include Huang's adaptive array antenna and beamforming pattern because adaptive array antennas increase the capacity of the system, as taught by Huang in the third paragraph of the first column on page 191. Figure 4 of Huang also shows that the beamforming technique helps minimize performance loss because the multi-lobe pattern more effectively avoids interference.

- 6. In regards to claim 2, Shek and Huang disclose a method according to claim 1, further comprising: transmitting the communication signal to the intended target(s) and the identified other target(s) employing the developed multi-lobe beampattern. Transmitting is inherent since the object of both Shek and Huang is to efficiently transmit data to mobile users. Additionally, Shek's "predictive information push" (p. 143) is transmitting and Huang discloses that the goal of the beamforming is "to minimize the transmitted energy to the undesired user" in the first column of page 192.
- 7. In regards to claim 7, Shek and Huang disclose a method according to claim 1, wherein developing a multi-lobe beampattern comprises: identifying a first spatial signature associated with the intended target(s); identifying a second spatial signature associated with the identified

Art Unit: 2616

other target(s); and modifying one or more transmission characteristics of the communication signal based, at least in part, on the identified first and second spatial signatures to generate a multi-lobe beampattern directed to each of the intended target(s) and the identified other target(s). Huang, on page 193, discloses determining the direction of arrival (DOA, a spatial signature) of undesired users and using the information to modify the beam to facilitate nulling. Additionally, Shek discloses using "the expected rate and direction of change in users' geospatial interest domain" to determine which users are other targets and modifying the multicast in order to push information to users other than the intended users on page 143.

- 8. In regards to claim 8, Shek and Huang disclose a method according to claim 1, further comprising: identifying a spatial signature for undesired users; and modify the multi-lobe beampattern to facilitate nulling of at least a subset of the undesired user(s) based, at least in part, on the identified spatial signature for the undesired users. Huang, on page 193, discloses determining the direction of arrival (DOA, a spatial signature) of undesired users and using the information to modify the beam to facilitate nulling.
- 9. In regards to claim 9, Shek discloses a transceiver comprising: wireless communication resources, to selectively transmit a wireless communication signal; and a communications agent, coupled with the wireless communication resources, to identify one or more target(s) for which the communication signal is intended as well as one or more other target(s) which may also benefit from receipt of the communication signal. The bottom of the first paragraph on page 133 discloses that mobile user may send and receive announcements to users within an assigned group. The device used by the mobile user must be a transceiver with wireless communication resource, which selectively transmits a signal in order to accomplish such a function. The first

Art Unit: 2616

and second paragraphs of page 143 disclose that each user is connected to an information dissemination infrastructure, which tracks users movements, determines intended targets and other targets and keeps each user updated with information such as the appropriate channel to use.

Shek does not disclose using an antenna array and developing a multi-lobe beampattern to transmit the communication signal to the intended target(s) and the identified one or more other target(s).

Huang discloses a method for forming a multi-lobe beampattern in order to communicate with groups of users while avoiding potential interferors on page 193 and figure 6 and an adaptive array on page 191.

It would have been obvious to one of ordinary skill in the art to modify Shek's wireless system to include Huang's adaptive array antenna and beamforming pattern because adaptive array antennas increase the capacity of the system, as taught by Huang in the third paragraph of the first column on page 191. Figure 4 of Huang also shows that the beamforming technique helps minimize performance loss because the multi-lobe pattern more effectively avoids interference.

10. In regards to claim 10, Shek and Huang disclose a transceiver according to claim 9, wherein the communications agent analyzes a received datagram for transmission in the communication signal for target information. Page 138 of Shek discloses, "The submission, update, or cancellation of user requests triggers the profile clustering process." Page 143 discloses that a user profile includes expected location changes and that information is used to determine intended and other targets. Therefore, Shek discloses analyzing a message for sender

Art Unit: 2616

location/group information and using that information to determine the intended and other targets.

- 11. In regards to claim 11, Shek and Huang disclose a transceiver according to claim 10, wherein the target information includes at least information denoting the intended target(s) and information denoting other target(s) which may benefit from receipt of the communication signal. Page 138 of Shek discloses, "The submission, update, or cancellation of user requests triggers the profile clustering process." Page 143 discloses that a user profile includes expected location changes and that information is used to determine intended and other targets. Therefore, Shek discloses analyzing a message for sender location/group information and using that information to determine the intended and other targets.
- 12. In regards to claim 12, Shek and Huang disclose a transceiver according to claim 10, wherein the target information comprises one or more of an electronic serial number (ESN), a media access control (MAC) address, and interent protocol (IP) address, a telephone number, and/or an application identifier. Shek discloses using Multicast Dissemination Protocol (MDP) on page 142. MDP is used in conjuction with TCP/IP or UDP/IP and does not require any changes in the router functionality. It is well known that routers use either a MAC address or IP address to uniquely identify the destination. Since MDP does not change router functionality, the router will continue to use either MAC or IP addresses.
- 13. In regards to claim 13, Shek and Huang disclose a transceiver according to claim 10, wherein the communications agent identifies a first spatial signature associated with the one or more intended target(s) and a second spatial signature associated with the identified one or more other target(s). Huang, on page 193, discloses determining the direction of arrival (DOA, a

Art Unit: 2616

spatial signature) of desired and undesired users and using the information to modify the beam to facilitate nulling of the undesired users. Additionally, Shek discloses using "the expected rate and direction of change in users' geo-spatial interest domain" to determine which users are other

Page 8

targets and modifying the multicast in order to push information to users other than the intended

users on page 143.

- 14. In regards to claim 14, Shek and Huang disclose a transceiver according to claim 13, the communications agent comprising: a beamforming engine, to modify one or more transmission characteristics of the communication signal based, at least in part, on the identified first and second spatial signatures. Huang, on page 193, discloses determining the direction of arrival (DOA, a spatial signature) of desired and undesired users and using the information to modify the beam to facilitate nulling of the undesired users. Additionally, Shek discloses using "the expected rate and direction of change in users' geo-spatial interest domain" to determine which users are other targets and modifying the multicast in order to push information to users other than the intended users on page 143.
- 15. In regards to claim 15, Shek and Huang disclose a transceiver according to claim 14, wherein beamforming engine modifies one or more of a amplitude weight value and/or a phase weight value associated with each of the one or more antennae in the antenna array to generate the developed beampattern. Huang discloses modifying weights on page 193.
- 16. In regards to claim 16, Shek and Huang disclose a transceiver according to claim 15, wherein the communications agent identifies a spatial signature associated with one or more undesired users of the communication signal, wherein beamforming engine modifies one or more attributes of the multi-lobe beampattern to null at least a subset of the undesired users. Huang,

Art Unit: 2616

on page 193, discloses determining the direction of arrival (DOA, a spatial signature) of desired and undesired users and using the information to modify the beam to facilitate nulling of the undesired users. Additionally, Shek discloses using "the expected rate and direction of change in users' geo-spatial interest domain" to determine which users are other targets and modifying the multicast in order to push information to users other than the intended users on page 143.

Page 9

- 17. In regards to claim 17, Shek and Huang disclose a transceiver according to claim 9, further comprising: a memory system having stored therein content; and control logic, coupled with the memory system, to access and execute at least a subset of the content to implement the communications agent. The transceiver disclosed by Shek and Huang would not operate without memory to store the user profile, instructions for using the profile, and control logic to access and implement the instructions. Therefore such features are inherent.
- 18. In regards to claim 18, Shek discloses a storage medium comprising content which, when executed by an accessing computing device, causes the computing device to implement a communications agent to identify one or more target(s) of a communication signal as well as one or more other target(s) which may also benefit from receipt of the communication signal. In the first paragraph of page 133, Shek discloses "dynamically cluster similar user profiles into aggregate group profiles that are served by independent multicast channels..." Shek then discloses in the first paragraph of page 143, "By taking into account of expected changes... achieves predictive information push that anticipates future user needs and minimizes latency of data request by making data available before they are explicitly requested." In other words, Shek identifies a target group for the communication signal and based upon the movement of neighboring target groups, selects users who may find the information useful and sends the

Art Unit: 2616

information to both the intended recipients and the additional targets. The transceiver disclosed by Shek would not operate without memory (storage medium) to store the user profile, instructions for using the profile, and control logic (access computing device) to access and implement the instructions. Therefore such features are inherent.

Shek does not disclose instructions to develop a multi-lobe beampattern to transmit the communication signal to the intended target(s) and the identified one or more other target(s).

Huang discloses a method for forming a multi-lobe beampattern in order to communicate with groups of users while avoiding potential interferors on page 193 and figure 6.

It would have been obvious to one of ordinary skill in the art to modify Shek's wireless system to include Huang's adaptive array antenna and beamforming pattern because adaptive array antennas increase the capacity of the system, as taught by Huang in the third paragraph of the first column on page 191. Figure 4 of Huang also shows that the beamforming technique helps minimize performance loss because the multi-lobe pattern more effectively avoids interference.

- 19. Claims 19-24 are rejected upon the same grounds as claims 10-15.
- 20. Claims 3-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shek et al. (*Dynamic Spatial*...) in view of Huang et al. (*A Spatial Clustering*...) further in view of Gleeson (US 6,477,160).
- 21. In regards to claim 3, Shek and Huang disclose a method according to claim 1, wherein identifying the target(s) comprises: analyzing a received datagram for target information, but not wherein the wireless communication system implements general packet radio services (GPRS).

Art Unit: 2616

Page 138 of Shek discloses, "The submission, update, or cancellation of user requests triggers the profile clustering process." Page 143 discloses that a user profile includes expected location changes and that information is used to determine intended and other targets. Therefore, Shek discloses analyzing a message for sender location/group information and using that information to determine the intended and other targets.

Gleeson discloses using GPRS in column 4 lines 25-27.

It would have been obvious to one of ordinary skill in the art to modify Shek and Huang's wireless system in order to use Gleeson's GPRS, because GPRS increases capacity, as taught by Gleeson in column 1 lines 37-51.

- 22. In regards to claim 4, Shek, Huang, and Gleeson disclose a method according to claim 3, wherein the target information includes at least information regarding the intended target(s) of the wireless communication signal. Page 138 of Shek discloses, "The submission, update, or cancellation of user requests triggers the profile clustering process." Page 143 discloses that a user profile includes expected location changes and that information is used to determine intended and other targets. Therefore, Shek discloses analyzing a message for sender location/group information and using that information to determine the intended and other targets.
- 23. In regards to claim 5, Shek and Huang disclose a method according to claim 4, wherein the target information comprises one or more of an electronic serial number (ESN), a media access control (MAC) address, and interent protocol (IP) address, a telephone number, and/or an application identifier. Shek discloses using Multicast Dissemination Protocol (MDP) on page 142. MDP is used in conjuction with TCP/IP or UDP/IP and does not require any changes in the

Art Unit: 2616

router functionality. It is well known that routers use either a MAC address or IP address to uniquely identify the destination. Since MDP does not change router functionality, the router will continue to use either MAC or IP addresses.

24. In regards to claim 6, Shek, Huang, and Gleeson disclose a method according to claim 3, wherein the target information includes at least information regarding the intended targets of the wireless communication signal and intended target(s) of a subsequent wireless communication signal. Page 138 of Shek discloses, "The submission, update, or cancellation of user requests triggers the profile clustering process." Page 143 discloses that a user profile includes expected location changes and that information is used to determine intended and other targets. Therefore, Shek discloses analyzing a message for sender location/group information and using that information to determine the intended and other targets.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kerri M. Dyke whose telephone number is (571) 272-0542. The examiner can normally be reached on Monday through Friday, 7:00 am - 3:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chau Nguyen can be reached on (571) 272-3126. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

kmd

CHAU NGUYEN SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600

Came T. Meser